



KEY FEATURES

- AMC.1 compliant
- PCIe Gen2 interface x2 lane
- Single Express Card slot
- ExpressCard/54 form factor
- Excellent for Wireless LAN 802.11a/b/g/n, WiFi, Solid State Disk, etc.)
- OS support for:
 - OS independent

The AMC212 is a single-width, half-height (mid or full-height option available) AdvancedMC™ (AMC) based on the AMC.1 specification. The AMC212 provides a single ExpressCard/54 slot. The AMC212 can also take the ExpressCard/34 format.

The AMC212 has an x2 lane PCIe Gen2 interface to the host.

The ExpressCard provides a very easy way to add hardware or media to system such as Wireless LAN WiFi IEEE 802.11ab/g/n, Solid State Disk (SSD), Multimedia cards, etc. The ExpressCard module is hot-swappable.

VadaTech can modify this product to meet special customer requirements without NRE (minimum order placement is required).

AdvancedMC™

AMC ExpressCard Module (WiFi, SSD, etc.)

SPECIFICATIONS

Architecture		
Physical	Dimensions	Single-Width, Mid-Height Front Panel (option for full-height)
		Width: 2.89 in. (73.5 mm)
		Depth: 7.11 in. (180.6 mm)
Type	AMC ExpressCard	ExpressCard/54
Standards		
AMC	Type	AMC.1
Module Management	IPMI	IPMI Version 2.0
PCI	Lanes	x1
Configuration		
Power	AMC212	3W without the Express Card
Environmental	Temperature	Operating Temperature: 0° to 65° C (Air flow requirement is to be greater than 200 LFM)
		Storage Temperature: -40° to +90° C
	Vibration	1G, 5-500Hz each axis
	Shock	30Gs each axis
	Relative Humidity	5 to 95 percent, non-condensing
Front Panel	Interface Connectors	Single slot Express/54
	LEDs	IPMI Management Control
	Mechanical	Hot Swap Ejector Handle
Software Support	Operating Systems	Independent
Other		
MTBF	MIL Handbook 217-F > TBD Hrs.	
Certifications	Designed to meet FCC, CE and UL certifications where applicable	
Standards	VadaTech is certified to both the ISO9001:2000 and AS9100B:2004 standards	
Compliance	RoHS and NEBS	
Warranty	Two (2) years.	
Trademarks and Logos	The VadaTech logo is a registered trademark of VadaTech, Inc. Other registered trademarks are the property of their respective owners. AdvancedMC™ and the AdvancedTCA™ logo are trademarks of the PCI Industrial Computers Manufacturers Group. All rights reserved. Specification subject to change without notice.	

AMC ExpressCard Module (WiFi, SSD, etc.)





FIGURE 1. AMC212 Functional Block Diagram

FIGURE 2. AMC212 Front Panel



AMC ExpressCard Module (WiFi, SSD, etc.)

ORDERING OPTIONS

AMC212 - 00C - 000 - OHJ

H = Operating Temp

- 1 = Commercial
- 2 = Industrial

C = Front Panel Height

- 1 = Half-Height
- 2 = Mid-Height
- 3 = Full-Height

J = Conformal Coating

- 0 = None
- 1 = Humiseal 1A33 Polyurethane
- 2 = Humiseal 1B31 Acrylic



Document No _____ Date: November 2008, Pass two

