

# **HAP-17**

# **NEMA 4 / IP65** front protection



## **Display Benefits**

- 17" LCD with high brightness 1000 cd/m<sup>2</sup>
- Green LED-backlit panel technology
- Rugged construction against external impact
- 6mm aluminum front bezel with protective glass & water proof sealed gasket

# **Options**

- MCS Multi-display control solution
- Projected Capacitive (10-point touch) Resistive / Capacitive ( 1-point touch )
- S-Video + Composite (BNC) or Audio input
- HDMI or DVI-D (either one for AV2.2 upgrade)
- MIL-type or lockable connector

- DC power: 24V / 48V / 125V / 250V
- Quad display for CCTV
- TV Analog
- Auto / switch dimming

### F© (E Basic I/O

Power	DVI-D VGA	
0	• <u> </u>	

#### AV2.2D upgrade I/O



# AV2.2H upgrade I/O



# **Specifications**

# LCD Panel

Size (diagonal): 17" TFT Max resolution: 1280 x 1024

Brightness (cd/m2): 1000 Backlight: **LED** Colors: 16.7 M Contrast ratio (typ): 1000:1 Viewing angle (H/V): 170° x 160° Active area (mm): 338 x 270 MTBF (hrs): 50,000 VGA or DVI-D Video input:

• Speaker :

Built-in Dual Stereo Speakers 2W x 2 (Bundled with AV2.2 upgrade)

• Power Input : Auto-sensing 100 to 240VAC, 50 / 60Hz

### Power Consumption

Max. 35W Sreen on: Power saving mode: Max. 4W Power button on: Max. 1W

# Environmental

Operating temperature: 0 to 55°C degree Storage temperature : -20 to 60°C degree Operating humidity: 20~90%, non-condensing Storage humidity: 5 ~90%, non-condensing

Operating altitude: 16,000 ft Non-operating altitude: 40,000 ft

Shock: 10G acceleration (11ms duration) Vibration: 5~500Hz 1G RMS random vibration

Black (RAL 9005) • Casing Color:

• Mounting: Panel mount / VESA mount

Regulatory

Safety: FCC & CE certified

RoHS2 & REACH compliant Environmental:

Weight


Net: 6.6 kgs / 14.5 lbs Gross: 9.2 kgs / 20.2 lbs

Dimensions

Product: 439 x 64.2 x 356.6 mm / 17.3 x 2.5 x 14 inch Packing: 615 x 113 x 523 mm / 24.2 x 4.4 x 20.6 inch


**Rear View** 

#### Diagrams (mm) **Front View**



# Side View





\*\*Dimension will be changed if Multi-touch required