



KBMT26

- 26 keys, short travel
- 38 mm waterproof trackball
- IP65 sealing

## HANDHELD KEYBOARD WITH TRACKBALL

These handheld keyboards are ideal for applications requiring only a limited number of key functions with fast and comfortable key access and a precise cursor control. This KBMT26 serie has 26 keys and an integrated removable 38mm laser optical trackball. The trackball optical lenses are accessible from the front and can easily be cleaned without dismantling the complete unit. The keyboards are IP65 sealed. They have numeric and function keys;

#### MAIN FEATURES

- 26 membrane keys with tactile feel, 1,4 mm travel and 4N operating force
- Integrated 38 mm laser optical trackball with removable ball

#### Panel mount version

- Front of panel mounting by six M3 mounting studs
- Added silicon sponge seal for perfect sealing into the user's panel
- Dimensions / weight: 85 x 205 x 33 mm / 0,2 kg

### <u>Desktop version</u>

- The keyboard is mounted in a very stylish and robust ABS housing
- $\bullet$  Dimensions / weight : 105 x 210 x 60 mm / 0,4 kg

#### **GENERAL TECHNICAL SPECIFICATIONS**

Sealing : IP65 sealed

Keys : 26 tactile membrane keys

Pointing Device : 38 mm trackball

Output : 1,6 m. PS/2 or USB cable(s)
Power requirements : Directly from PS/2 or USB port

Operating temp.  $: 0^{\circ}\text{C to } +60^{\circ}\text{C}$ 

Front layer : Black polyester front layer with embossed keys,

scratch and chemical resistant

### CONNECTIVITY

The PS/2 keyboards are supplied with a 1,6 m long shielded straight cable ended with 6 pin mini DIN plugs. The USB versions are supplied with a 1,6 m long shielded straight cable ended by a USB type A connector.

\* Due to the increasing differences of PS/2 mouse port specifications of the various PC manufacturers, we do recommend that this unit should be tested on the final PC configuration and operating system prior to installing it in series.


### **ORDER INFO**

COUNTRY LAYOUT	PANEL MOUNT	DESKTOP
n.a.	KBMT26F1xxx	KBMT26S1xxx

xxx = protocol output : USB or PS/2



Panel mount version



Dim in mm.

# COLOURS

Background : RAL 7024 graphite grey Key contour : RAL 9011 graphite black

Key Legends: RAL 9011 graphite black or RAL 3000 flame red

Key background : RAL 9006 white aluminium or RAL 9007 grey aluminium

The company reserves the right to alter without prior knowledge the specification or design of any standard product or service.




Desktop version









Dim in mm.

# COLOURS

Background: RAL 7024 graphite grey Key contour: RAL 9011 graphite black

Key Legends: RAL 9011 graphite black or RAL 3000 flame red

Key background : RAL 9006 white aluminium or RAL 9007 grey aluminium

The company reserves the right to alter without prior knowledge the specification or design of any standard product or service.

VER. 2.0