



- 105 keys, silicone rubber
- mousebutton
- IP65 sealing

## MOBILE SILICONE RUBBER KEYBOARD WITH MOUSEBUTTON

This 105 key keyboard features a compact rubber keyboard with integrated waterproof pointing device and separate numpad. The backlit keys warrant for optimized performance while working in low-light environments. A non-backlit version is also available and a version with VESA-mounting. Options include NVIS compatible backlighting and custom dimming settings.

### MAIN FEATURES



- Compact layout, 105 full travel keys
- Separate numpad
- Dimmable backlighting at 8 levels by two dedicated keys
- Low power LED's warrant for a long life
- No external power supply necessary, keyboardport power sufficient
- White backlighting as standard, other colours on request.
- Super compact, thickness 15 mm
- Enclosure : Aluminium enclosure, black anodized
- Dimensions / weight : 331 x 110 x 14,95 cm / 0,6 kg.

### GENERAL TECHNICAL SPECIFICATIONS

|                     |                          |
|---------------------|--------------------------|
| Sealing             | : IP65 sealed frontal    |
| Keys                | : 105 rubber keys        |
| Pointing Device     | : mini thumbstick        |
| Output              | : 1,6 m. USB cable       |
| Power requirements  | : Directly from USB port |
| Operating temp.     | : -0°C to +70°C          |
| Storage temp. range | : -40°C to +85°C         |
| Switch force        | : 300 grams +- 100 grams |
| Switch stroke       | : 1,5 mm                 |
| Lifetime switches   | : 1 million actuations   |

### CONNECTIVITY

One 1,6 m shielded USB cable.



VESA-mount version

### ORDER INFO


### BACKLIT VERSION

standard white backlight, other colours on request

### NON-BACKLIT VERSION

| COUNTRY LAYOUT | DESKTOP                            | DESKTOP/ VESA                      | DESKTOP                       | DESKTOP / VESA                |
|----------------|------------------------------------|------------------------------------|-------------------------------|-------------------------------|
| US Qwerty      | <a href="#">RKMB105S1USB-WLED</a>  | <a href="#">RKMB105V1USB-WLED</a>  | <a href="#">RKMB105S1USB</a>  | <a href="#">RKMB105V1USB</a>  |
| Cyrillic       | <a href="#">RKMB105S7USB-WLED</a>  | <a href="#">RKMB105V7USB-WLED</a>  | <a href="#">RKMB105S7USB</a>  | <a href="#">RKMB105V7USB</a>  |
| French Azerty  | <a href="#">RKMB105S33USB-WLED</a> | <a href="#">RKMB105V33USB-WLED</a> | <a href="#">RKMB105S33USB</a> | <a href="#">RKMB105V33USB</a> |
| German Qwertz  | <a href="#">RKMB105S49USB-WLED</a> | <a href="#">RKMB105V49USB-WLED</a> | <a href="#">RKMB105S49USB</a> | <a href="#">RKMB105V49USB</a> |

DIMENSIONAL DRAWING  
Desktop version




Dim in mm.

The company reserves the right to alter without prior knowledge the specification or design of any standard product or service.

## DIMENSIONAL DRAWING

Desktop version / VESA mounting



The company reserves the right to alter without prior knowledge the specification or design of any standard product or service.